


Reinforced Concrete Pipe



Basic Dimensions				
I.D. Pipe (Inches)	Laying Length (Feet)	Wall Thickness (Inches)	Bell Diameter (Inches)	Aprox. Wt / Ft (Pounds)
12	4 - 6	2	16	92
15	4 - 6	2	19	111
18	4 - 6 - 8	2 1/2	23	168
21	4 - 6 - 8	2 3/4	26 1/2	214
24	4 - 6 - 8	3	30	265
27	4 - 6 - 8	3 1/4	33 1/2	322
30	4 - 6 - 8	3 1/2	37	384
33	4 - 6 - 8	3 3/4	40 1/2	451
36	4 - 6 - 8	4	44	524
39	*	4 1/4	47 1/2	614
42	4 - 6 - 8	4 1/2	51	685
45	*	4 3/4	54 1/2	789
48	4 - 6 - 8	5	58	885
51	*	5 1/4	61 1/2	986
54**	4 - 6 - 8	5 1/2	65	1,092
60**	4 - 6 - 8	6	72	1,322
66**	4 - 6 - 8	6 1/2	79	1,573
72	4 - 6 - 8	7	86	1,846
78	*	*	*	*
84	*	*	*	*
90	*	*	*	*
96	*	*	*	*
108	*	*	*	*
120	*	*	*	*

Note:

- Conforms to current ASTM C-76 or C-655 specifications for reinforced concrete pipe.
- * - Dimensions vary; contact manufacturer.
- ** - Wall C available in some market areas.

-No Scale-
All dimensions subject to allowable specification tolerances